



**CORDELL BANK NATIONAL MARINE SANCTUARY
SANCTUARY ADVISORY COUNCIL**

Resolution to support staff recommendations within the Fish and White Sharks Topic Briefing

At its meeting on April 21, 2023, the Cordell Bank National Marine Sanctuary Advisory Council suggested edits to the staff recommendations within the Fish and White Sharks Topic Briefing. The council passed a resolution to support the staff recommendations with the suggested edits.

Attachments: Fish and White Sharks Topic Briefing

Voting Members

Community-at-Large Marin Co.	Community-at-Large Sonoma Co.	Conservation	Education
Vacant	Frank Capurro	Scott Artis	Vacant
Vacant	Steve Tubbs	Morgan Patton	Vacant
Fishing	Maritime Activities	Research	
Christopher Ohanian	Vacant	Jeff Dorman	
Vacant	Kai Martin (Chair)	Chrissy Piotrowski	

The council is an advisory body to the sanctuary superintendent. The opinions and findings of this letter/publication do not necessarily reflect the position of the sanctuary and the National Oceanic and Atmospheric Administration.



Briefing on Fish and White Sharks in Greater Farallones National Marine Sanctuary and Cordell Bank National Marine Sanctuary

State of the Resource

Condition Report Data

Since the previous condition reports, six out of the seven rockfish species have recovered from an overfishing or overfished status, with the exception of yelloweye rockfish in both Greater Farallones National Marine Sanctuary (GFNMS) and Cordell Bank National Marine Sanctuary (CBNMS).

CBNMS

- Rockfish were selected as focal species for CBNMS. Overall, rockfish in CBNMS appear to be stable.
- Rockfish recruits, as measured by the National Marine Fisheries Service (NMFS) Rockfish Recruitment and Ecosystem Assessment Survey, appear to be stable with a peak observed in 2013-2016.
- Rockfish catch per unit effort (CPUE), as measured in the West Coast Groundfish Bottom Trawl Survey from 2014–2019, was stable (within one standard deviation of the long-term mean and did not increase or decrease more than one standard deviation). Mean CPUE during previous (2003–2008) and current (2009–2019) condition report periods were similar.
- Rockfish on Cordell Bank appear to be stable with no major changes observed in pygmy, rosy, squarepot and yelloweye rockfish, based on CBNMS remotely operated vehicle (ROV) surveys.
- Groundfish diversity, measured as species per trawl as an estimate of species density, in the West Coast Groundfish Bottom Trawl Survey was stable on the upper slope but declined following a high in 2016 on the shelf. Means were similar from the 2003-2008 and 2009-2019 condition report periods
- Limited data of flatfish on the shelf showed that they appeared to be abundant and stable (based on CBNMS ROV surveys).

GFNMS

- Anchovy were selected as a foundation indicator species as they are forage for seabirds and marine mammals. Their relative abundance increased from 2015-2021 in GFNMS, as measured by the NMFS Rockfish Recruitment Ecosystem Assessment Survey.
- Juvenile rockfish were selected as a focal species. There was peak abundance in 2013–2016 followed by a decline. Abundances are still within one standard deviation of the long term mean. Juvenile rockfish in the kelp forest appear to have decreased in 2011 and remained suppressed during the 2014–2016 marine heat wave.

- White sharks were selected as a focal species. The waters around the Farallon Islands, Año Nuevo Island, Tomales Bay, and Point Reyes National Seashore are some of the most important known sites for seasonal aggregations of adult and subadult northeastern Pacific white sharks (*Carcharodon carcharias*). These sites provide critical feeding areas for the population during their annual migration. White sharks appear to be increasing in the sanctuary, which may be a result of the increase in abundance of pinnipeds and a reduction of mortality in fisheries. In 2011, 184 +/- 33 (SE) adult and subadult white sharks were estimated to have occurred in GFNMS. In 2018, the estimated number of white sharks increased to 262 +/- 21 (SE) in the Gulf of the Farallones region.
- Groundfish diversity, measured as species per trawl as an estimate of species density, in the West Coast Groundfish Bottom Trawl Survey was stable on the shelf (deeper than 50 meters) and upper slope with a slight decline in recent years.

Climate Vulnerability Assessment Findings

- Blue rockfish have a moderate vulnerability score based on moderate sensitivity to temperature, pH, salinity, and disturbance regimes; moderate exposure to increased temperature, decreased pH, disturbance regimes, and increased storminess; and high adaptive capacity as a result of high dispersal of larval and juvenile stages and more limited movement of adults.
- Widow rockfish have a moderate vulnerability score based on moderate sensitivity to dissolved oxygen, wave ocean, dynamic ocean conditions, and pH; moderate exposure to dynamic ocean conditions, decreased pH, changes to sea surface temperature, increased storminess, and decreased dissolved oxygen; and high adaptive capacity based on expected planktonic dispersal of larvae.
- Northern anchovy and Pacific sardines have a moderate vulnerability score based on moderate sensitivity to sea surface temperature, currents, mixing, stratification, and oxygen and high sensitivity to disturbance regimes (for sardine only); high exposure to dissolved oxygen and altered currents and mixing; and high adaptive capacity for anchovy and moderate for sardine.
- Tidewater goby have a moderate vulnerability score based on moderate sensitivity to precipitation, sea level rise, and coastal erosion; moderate exposure to changes in precipitation, and increased flooding; and low adaptive capacity because of limited habitat suitability and limited ability to disperse.

Other science information

According to NMFS, many West Coast salmon and steelhead have declined substantially from their historic numbers and now are at a fraction of their historical abundance. Factors contributing to the declines include: overfishing, loss of freshwater and estuarine habitat, hydropower development, poor ocean conditions, and hatchery practices.

Two species of salmon found in GFNMS and CBNMS are listed as endangered or threatened under the Endangered Species Act:

- California Coastal Chinook Salmon - Threatened
- Central California Coast Coho Salmon - Endangered

Pressures on Fish and White Sharks

- Fishing
- Climate change
- White shark disturbance (attracting and approaching)

Summary of Relevant Regulations

See full text, definition, and exemptions on the [GFNMS](#) and [CBNMS](#) websites.

The following regulation in GFNMS prohibits attracting a white shark anywhere in GFNMS; or approaching within 50 meters of any white shark within Special Wildlife Protection Zone 6 and 7 (The Farallon Islands) or within one nautical mile from these zones.

Lawful fishing is exempt from GFNMS and CBNMS regulations. The regulation of fishing is not authorized by either sanctuaries' terms of designation. GFNMS terms of designation specify that aquaculture is considered lawful fishing.

Summary of Relevant Sanctuary Projects

Conservation Science

- The sanctuaries track forage fish abundance and distribution during Applied California Current Ecosystem Studies (ACCESS) surveys, and track the species, distribution, and abundance of groundfish during visual surveys of the seafloor. This work is used to understand what species are present, how fish use sanctuary habitat, to gain basic science information about these species, and to evaluate and inform management efforts such as implementation of, or changes to, fishery management areas.
- The science team works with the resource protection team to identify issues and areas to study and with the education team to share findings.

Resource Protection

- The sanctuaries review project proposals, including proposed actions from other agencies that are likely to destroy, cause the loss of, or injure fish other than from lawful fishing.
- GFNMS manages the White Shark Stewardship Project, which is the umbrella for all white shark programs of the sanctuary.
 - GFNMS issues permits for educational tours in order to provide the public the opportunity to change their misperceptions about white sharks, learn about the role that white sharks and the sanctuaries play in creating a healthy, balanced

marine ecosystem, and better understand white shark conservation and protection efforts.

- All white shark education permits require naturalist training for tour operators. Additionally, each excursion is required to have a minimum of one naturalist on-board who has completed the training.
- GFNMS assesses the impacts of human activities on white sharks near the Farallon Islands¹, the effectiveness of permit conditions, determines compliance with sanctuary regulations, and detects emerging issues to help guide decisions to protect white sharks.
- GFNMS has issued research permits to two research organizations to attract white sharks for tagging and photo identification purposes to provide information about their life history and ecology (e.g., migration patterns, genetic isolation, site loyalty, environmental factors affecting abundance and success, and population structure such as sex-ratios, local population estimates, and trends).

Education and Outreach

- School programs:
 - GFNMS Visitor Center Field Trips: Home Sweet Habitat (6th grade); Salmon and Watersheds and Suitcase for Survival (3rd grade) – Adaptations of White Sharks
 - At Your School Programs: Sharkmobile (4th-6th grades) focuses on the biology, natural history and conservation of sharks. Fisherman in the Classroom (7th-12th grades)
 - Ocean Afterschool Programs: Salmon and Shark Classes (3rd-5th grades)
- Community programs:
 - Sharktoberfest (annual public festival celebrating sharks)
 - Salmon and Shark Family Workshops
 - Sanctuary Soirées included one Salmon Soiree, two Shark Soirees, and one Mola mola Soiree
 - Salmon and shark lessons during Marine Explorers Camp (3rd-6th grade)
 - Sanctuary Naturalist Program training includes fish and shark classes and a Fish chapter in the Manual. In addition, as part of the White Shark Stewardship program, training for naturalists on white shark tourism boats is offered.
- Exhibits & Signs:
 - Greater Farallones Visitor Center
 - California Academy of Sciences, California Coast Exhibit
 - Ocean Exploration Center at Point Reyes National Seashore Lighthouse
 - Bear Valley Visitor Center at Point Reyes National Seashore
 - Oakland Museum of California, Cordell Gallery
 - Randall Museum, Ocean Habitat Exhibit
 - Series of six signs on fishing at Pillar Point Harbor
- Media & outreach activities:
 - Digital media & social media on fish and sharks (“Marine Life Mondays”)
 - *Sanctuary in the Sea* film highlights white sharks (featuring Ron Elliott)

¹ Through a partnership with Point Blue and US Fish and Wildlife Service

- Collaboration with the International Ocean Film Festival includes a shark-themed section of the festival. Past film festival at Point Arena included *Near Miss* film
- KWMR Radio Shows and recorded podcasts on fish and sharks
- GFNMS 50th Anniversary poster and Visitor Center mural poster both feature white sharks

Infrastructure and Vessels

Sanctuary infrastructure that supports research on, protection of, and education about fish and white sharks includes office infrastructure, at-sea assets, and specialized tools.

- The sanctuary hosts naturalist training courses at the Crissy Field office
- The Crissy Field Visitor Center and partner exhibits deliver information related to fish and white sharks in the sanctuaries
- GFNMS and CBNMS conduct single and multi-day missions on the regional research vessel *Fulmar* and longer missions on larger NOAA ships and the exploration vessel *Nautilus*. These at-sea research missions contribute to the overall characterization of sanctuary resources.

Summary

Based on data presented in the condition reports, the abundance of anchovy, white sharks, and adult shelf and slope groundfish in GFNMS and CBNMS appear to be stable or increasing, but salmon are decreasing coastwide. In GFNMS, the condition of several nearshore rockfish species complexes was not assessed and the extent of potential declines of juvenile rockfish in kelp is not known. Sanctuaries do not manage fisheries, and lawful fishing is exempt from sanctuary regulations. GFNMS regulations prohibit attracting or approaching white sharks. The sanctuaries' science projects focus on understanding fish species distribution and abundance. Resource protection for fish includes reviewing proposals from other agencies and individuals for projects or management actions and managing the White Shark Stewardship Project. Education projects focus on the importance and roles of fish and sharks in the ocean ecosystem with an emphasis on salmon and white sharks. Projects include school programs, community programs, exhibits, signs, and media and outreach. This work is supported by office infrastructure as well as sanctuary and partner vessels.

GFNMS and CBNMS Advisory Council Recommendations

These recommendations were provided during a joint GFNMS and CBNMS Advisory Council meeting on April 21, 2023. To view council discussion on this topic, please visit https://farallones.noaa.gov/manage/sac_meetings.html and view the meeting's highlights.

Conservation Science: Continue research and monitoring of species abundance and distribution during ACCESS and benthic surveys; and continue exploration to better understand fish species presence, distribution, abundance, and habitat use in deep sea habitat to assess status and

trends, identify sensitive habitats, and inform management efforts. Foster collaborations with research institutions to increase our understanding of ocean dynamics.

Resource Protection: Increase sanctuary knowledge of impacts, within and outside of the sanctuary, to the nearshore fish species complex and salmonids, and impacts in the sanctuary. Continue the White Shark Stewardship Project. Understand how Federal and State fishing regulations impact the sanctuaries habitat and ecosystems and determine if modifications are needed to protect the sanctuaries. Review the effectiveness of GFNMS white shark regulations in protecting white sharks from disturbance while feeding in the sanctuary.

Education and Outreach: Maintain and develop a dynamic array of community and school education programs about fish, including contributing to the White Shark Stewardship Project to increase public understanding of the importance and roles of fish and sharks in the ocean and nearshore ecosystems. Partner with shoreside managers (e.g., harbors, state, and county parks) and tourism industry on signage and exhibits to educate the public about the importance of a healthy sanctuary to support fish populations.

Infrastructure: Maintain collaborative meeting space at Crissy Field and Bear Valley campuses, increase Crissy Field visitor center programming space and update exhibits at Crissy Field and partner facilities as needed to educate the public about the importance of fish and white sharks to the sanctuaries' ecosystem.